


## QuikLoc8



The QuikLoc8 solution has been developed to provide a robust, reliable, and flexible product to provide periodic updates providing of location and status designed to provide an asset location profile ideal for rental/hire businesses, individuals and those who do not require live tracking.

QuikLoc8 is perfect for



trucks



cars



motorbikes



machinery



trailers



boats

## Features

- 60-minute location and status updates
  - Location, status, speed an input states instantly updated
  - Instant alarms and alerts direct to your mobile
- Intuitive smart phone and web access
  - IOS and ANDROID compatible – See app stores
  - Cloud based web interface
  - Multi mapping interface – Google, Open source, Bing and street view mapping available
- Historical analytics and reporting
  - Mileage and engine hours
  - Alarms and geofencing
  - Usage areas
- Australian designed and supported
  - Online and in-app support
  - 24-month hardware warranty
  - Theft recovery assistance
- Alarms and input options – Real time notifications via in-app notice, emails and/or phone
  - Ignition state
  - Battery level and connectivity
  - Geofence locations
  - Movement
  - Impact/Crash indication
  - Negative alarm input
  - Positive PTO/Switch input
  - Extended battery OR additional input
- Geofencing/Geolock and Point of interest
  - Location/site – NOTE this may be delayed when using a geofence, Geolock is instantaneous
- Interval reminders – based on engine hours, mileage, date, or duration.
  - Service intervals
  - Tire replacement/rotation
  - Registration reminders
  - Insurance renewal
  - Driver's license reminders
  - Custom reminders

## Device Specification

- 3G WCDMA Band
  - B1
  - B2
  - B5
  - B8
- 4G LTE BAND
  - FDD (B1, B2, B3, B4, B5, B7, B8, B28)
  - TDD (B40)
- Voltage range
  - 9-72V
- GPS Band
  - L1-Band 1575MHz
- Working Temperature and Humidity
  - -20°C~75°C; 20%~90% RH
- Work Current
  - GPRS (500mA);
  - WCDMA (700mA);
  - LTE (800mA)
- Dimensions (mm)
  - 89(L) X 37(W) X 12(H)
- Net Weight
  - 46g
- Standby Current Power
  - Off (20uA)
  - Sleep (3mA)
  - Idle (22mA)

## Wiring Diagram and Explanation

